

5.0 REFERENCES

CHAPTER 1.0

Agency on Bay Management, 1990. Goals and Objectives for Tampa Bay. Tampa Bay Regional Planning Council and Southwest Florida Water Management District.

Estevez, E.D., 1991. A review of resource management goals and objectives for the Apalachicola River and Bay. Report to Northwest Florida Water Management District, Technical Working Group on Freshwater Inflow Requirements of Apalachicola Bay. 11 p.

Estevez, E.D. 1992. Sebastian River salinity regime, Part 1. Review of goals, policies, and objectives. Mote Marine Laboratory Technical Report No. 275, 59 pp.

Estevez, E.D. 1998. Estero Bay Research Plan. Chapter 1: Research Goals. Mote Marine Laboratory Technical Report No. 548, submitted to South Florida Water Management District. 33 pp.

Estevez, E.D. and D. Hayward. 1992. General decision model for the design of estuarine eutrophication monitoring programs: a general decision model for south Florida. Mote Marine Laboratory Technical Report No. 258, 33 pp.

Estuaries Properties, Inc. 1975. "The Estuaries" Development of Regional Impact, Application for Development Approval. Fort Myers Beach FL. var. page.

Florida Department of Natural Resources. 1983. Estero Bay Aquatic Preserve Management Plan. Tallahassee, FL. 126 pp.

Kenworthy, W.J. and D. Haunert (eds.), 1991, Results and recommendations of a workshop convened to examine the capability of water quality criteria, standards and monitoring programs to protect seagrasses from deteriorating water transparency. Final NOAA/SFWMD report, West Palm Beach, 151 p.

Lee County. 1995. Lee County Comprehensive Plan. Fort Myers, FL. var. page.

Mitchell-Tapping, H.J., G.J. Mitchell-Tapping, A.M. Mitchell-Tapping, C.R. Williams, J.L. Bellucci, and T.J. Lee. 1996. Estero Bay 1995-1996 hydrobiological, biological, and geological studies. Estero Bay Marine Laboratory, Fort. Myers Beach FL. var. page.

Mitchell-Tapping, H.J., A.M. Mitchell-Tapping, C.R. Williams, J.L. Bellucci, and T.J. Lee. 1996. Estero Bay 1996-1997 research studies. Estero Bay Marine Laboratory, Fort. Myers Beach FL. var. page.

Southwest Florida Regional Planning Council. 1995. Strategic Plan for Southwest Florida. Southwest Florida Regional Planning Council, North Ft. Myers, FL. var page.

W. Dexter Bender and Associates, 1990. Managing the Quality, Quantity, and Timing of Surface Water Discharge into the Estero Bay State Aquatic Preserve. Fort Myers, FL. 32 pp.

CHAPTER 2.0

Cambridge, M.L. and A.J. McComb. 1984. The loss of seagrasses in Cockburn Sound, Western Australia. I. The time course and magnitude of seagrass declines in relation to industrial development. *Aquat. Bot.* 20: 229-243.

Cowper, S.W. 1978. The drift algae community of seagrass beds in Redfish Bay, Texas. *Mar. Sci.* (New York) 21: 125-132.

Davis, R.A. Jr. 1987. Beach and nearshore sediments and processes. SEPM, 228 p.

Dixon, L.K., D. Hayward and S. Lowery. 1993. St. Lucie Estuary nutrient assessment research plan. Mote Marine Laboratory Technical Report No. 321.

Dixon, L.K. and S. Lowery. 1993. St. Lucie Estuary nutrient loading assessment. Mote Marine Laboratory Technical Report No. 340.

Dixon, L.K., D. M. Hayward and S. Lowery. 1994. St. Lucie Estuary nutrient assessment research plan. Mote Marine Laboratory Technical Report No. 390.

Dixon, L.K. and D.M. Hayward. 1995. St. Lucie Estuary nutrient assessment research plan. Mote Marine Laboratory Technical Report No. 409.

Dixon, L.K. and G. Kirkpatrick. 1995. Light attenuation with respect to seagrasses in Sarasota Bay. Mote Marine Laboratory Technical Report No. 407.

Estevez, E.D. and L.K. Dixon, 1998a. Estero Bay Research Plan. Chapter 2: Research Questions. Mote Marine Laboratory Technical Report No. 577, submitted to South Florida Water Management District. 20 pp.

Estevez, E.D., D. Hayward and L.K. Dixon. 1991. General decision model for the design of estuarine eutrophication monitoring programs -- Task 4 report, a program for the St. Lucie estuary. Mote Marine Laboratory Technical Report No. 233.

Estevez, E.D. and D. Hayward. 1992. General decision model for the design of estuarine eutrophication monitoring programs -- Fourth and final report: a general decision model for south Florida. Mote Marine Laboratory Technical Report No. 258.

Everham, E.M. III. 1998. Correspondence to R. Montgomery, Coastal Environmental, representing the Estero Bay Agency on Bay Management, dated March 10, 1998.

Goodwin, C.R. 1984. Changes in tidal flow, circulation, and flushing caused by dredge and fill in Tampa Bay, Florida. U.S. Geol. Surv. Open File report 84-447.

Hayward, D., E.D. Estevez, R. Edwards and L.K. Dixon. 1991a. General decision model for the design of estuarine eutrophication monitoring programs -- Task 1 report: a review of alternative methods. Mote Marine Laboratory Technical Report No. 214.

Hayward, D., E.D. Estevez, and R. Edwards. 1991b. General decision model for the design of estuarine eutrophication monitoring programs -- Task 2 report: a critique of alternative methods. Mote Marine Laboratory Technical Report No. 221.

Heyl, M. 1992. *In situ* CaCO₃ precipitation in Sarasota Bay. *Water Environ. Technol.* 4(2): 42 *et seq.*

Janicki, A.J., D.L. Wade and D.E. Robison. 1994. Habitat protection and restoration targets for Tampa Bay. Tampa Bay National Estuary Program Technical Publication No. 07-93.

Kenworthy, W.J., M.S. Fonseca and S.J. DiPiero. 1990. Defining the ecological light compensation point for seagrasses from long-term submarine light regime monitoring in the southern Indian River, pp. 98-105 in W.J. Kenworthy and D. Haunert (eds.) Results and recommendations of a workshop convened to examine the capability of water quality criteria, standards and monitoring programs to protect seagrasses from deteriorating water transparency. South Florida Water Management District, West Palm Beach.

Leverone, J.R., L.K. Dixon and M.G. Valenti. 1991. Seagrass bibliographic data base: a compilation of the scientific literature pertaining to indigenous species from Tampa Bay. Mote Marine Laboratory Technical Report No. 219.

McPherson, B.F. and R.L. Miller. 1987. The vertical attenuation of light in Charlotte Harbor, a shallow subtropical estuary. *Est. Coast. Shelf Sci.* 25: 721-737.

Orth, R.J. 1977. The importance of sediment stability in seagrass communities, pp. 281-300 in B.C. Coull (ed.), Ecology of Marine Benthos. University of South Carolina Press.

Short, F.T. and C.A. Short. 1984. The seagrass filter: purification of estuarine and coastal waters,

pp. 395-413 in V.S. Kennedy (ed.), *The Estuary as a Filter*. Academic Press.

Strawn, K. 1961. Factors influencing the zonation of submerged monocotyledons at Cedar Key, Florida. *Journal Wildlife Mgt.* 25: 187-188.

Tampa Bay National Estuary Program. 1996. Charting the course, the comprehensive conservation and management plan for Tampa Bay. TBNEP and U.S. Environmental Protection Agency.

Williams, S.L. 1990. Experimental studies of Caribbean seagrass bed development. *Ecol. Monogr.* 60: 449-469.

Zarbock, H., J. Schulten, E. Long, and D. MacDonald. 1997. Sediment contamination in Tampa Bay-- sources, risks and management, pp. 281-293 in S.F. Treat (ed.), *Proceedings, Tampa Bay Scientific Information Symposium 3*. St. Petersburg FL.

Zieman, J.C. 1974. Seasonal variation of turtle grass, *Thalassia testudinum*, with reference to temperature and salinity effects. *Aquatic Botany* 1: 107-123.

CHAPTER 3.0

Armstrong, N.E., 1982, Responses of Texas estuaries to freshwater inflows, In: Kennedy, V.S., ed., *Estuarine Comparisons*: New York, Academic Press, Inc, p. 103-120.

Boynton, W.R., Kemp, W.M. and Keefe, C.W., 1982, A comparative analysis of nutrients and other factors influencing estuarine phytoplankton production, In: Kennedy, V.S., ed., *Estuarine Comparisons*: New York, Academic Press, Inc., p. 69-90.

Brezonik, P.L. and Shannon, E., 1971, *Trophic state of lakes in north central Florida*: Gainesville FL, Florida Water Resources Research Center; Publication Number 13.

Browder, J.A., 1986, *A Test of the Effect of Salinity-band Area on Biological Abundances in Faka Union Bay and Evaluation of the Effect of Reduction in Discharges from the Golden Gate Estates Canal System*: Miami FL, The Miami, Florida, Unit of the Beaufort, North Carolina, Laboratory, Southeast Fisheries Center, National Marine Fisheries Service, 29 p.; Executive Summary of Final Report to U.S. Army Corps of Engineers, Jacksonville District, Volume II.

Deegan, L.A., Day, J.W., Jr., Gosselink, J.G., Yanez-Arancibia, A., Chavez, G.S., and Sanchez-Gil, P., 1986, Relationships among physical characteristics, vegetation distribution and fisheries yield in Gulf of Mexico estuaries, In: Wolfe, D.A., ed., *Estuarine Variability*: Orlando FL, Academic Press, Inc., p. 83-100.

Doering, P.H., Oviatt, C.A., and Pilson, M.E.Q. (1990). Control of nutrient concentrations in the

Seekonk-Providence River region of Narragansett Bay, Rhode-Island: *Estuaries*, v. 13, p. 418-430.

Edmondson, W.T. and J.T. Lehman. 1981. The effect of changes in the nutrient income on the condition of Lake Washington. *Limnol. Oceanogr.* 26: 1-29.

Environmental Protection Agency, 1987, Estuary Program Primer. EPA Office of Marine and Estuarine Protection, Washington, D.C.

Garber, J.H. and Boynton, W.R., 1991, Ecosystem-level responses to estuarine eutrophication: Comparative analysis of relationships between nutrient loading and algal biomass in Chesapeake Bay and four tributary estuaries, In: Tampa BASIS 2, The Watershed: Bay Area Scientific Information Symposium, February 27-March 1, 1991, Tampa, Florida.

Garber, J.H., 1991, The case for using annually-averaged depth-integrated chlorophyll-a as an indicator of estuarine eutrophication, In: Science in the Nation's Estuaries: U.S. EPA; National Estuary Program Science Symposium 91, February 25-27, 1991, Sarasota, Florida.

Gulf of Mexico Program, 1991, Status and trends of Gulf of Mexico habitats. Draft report of the Habitat Degradation Subcommittee. EPA, 173 pp.

Hirsch, R.M., 1988, Statistical methods and sampling design for estimating step trends in surface-water quality: *Water Resources Bulletin*, v. 24, p. 493-503.

Johansson, J.O.R. and R.R. Lewis, III, in press, Recent improvements of water quality and biological indicators in Hillsborough Bay, a highly impacted subdivision of Tampa Bay, Florida, U.S.A., in Proceedings of an international conference on marine coastal eutrophication, Bologna (Italy), 21-24 March 1990.

Johansson, J.O.R. and R.R. Lewis, III, in press, Recent improvements of water quality and biological indicators in Hillsborough Bay, a highly impacted subdivision of Tampa Bay, Florida, USA. Proceedings International Conference on Marine Coastal Eutrophication, Bologna, Italy, 1990.

Kjerfve, B. L.H. Stevenson, J.A. Proehl, T.H. Chrzanowski and W.M. Kitchens. 1981. Estimation of material fluxes in an estuarine cross-section: a critical analysis of spatial measurement density and errors. *Limnol. Oceanogr.* 26: 325-335.

Kjerfve, B., J.A. Proehl, F.B. Schwing, H.E. Seim, and M. Marozas. 1982. Temporal and spatial considerations in measuring estuarine water fluxes. p. 37-51 in V.S. Kennedy (ed.), Estuarine

comparisons. Academic Press, London.

Lewis, R.J., H.W. Waardenburg and A.J.M. Meijer. 1989. Active management of an artificial rocky coast. *Hydrobiol. Bull.* 23: 91-99.

Liss, P.S., 1976, Conservative and non-conservative behavior of dissolved constituents during estuarine mixing, in Burton, J.D., and Liss, P.J., eds., *Estuarine Chemistry*: London, Academic Press, p. 93-130.

McPherson, B.F., and Miller, R.L., 1990, Nutrient distribution and variability in the Charlotte Harbor estuarine system, Florida: *Water Resources Bulletin*, v. 26, p. 67-80.

Metcalf and Eddy, Inc., 1983a, Water quality assessment of the lower Hillsborough River, Final Report submitted to City of Tampa Department of Public Works, var. pg.

Officer, C.B., 1980, Box models revisited, in Hamilton, P., and MacDonald, K.B., eds., *Estuarine and wetlands processes, with emphasis on modeling*, Vol. 11 of *Marine Science*: New York, Plenum Press, p. 65-114.

Officer, C.B. and Nichols, M.M., 1980, Box model application to a study of suspended sediment distributions and fluxes in partially mixed estuaries, in Kennedy, V.S., ed., *Estuarine Perspectives*: New York, Academic Press, Inc., p. 329-340.

Ott, W.R., 1978, *Environmental Indices: Theory and Practice* [1st ed.]: Ann Arbor, MI, Ann Arbor Science Publishers, Inc, 371 p.

Pianka, E.R., 1974, *Evolutionary Ecology*. Harper & Row, New York, 356 p.

Quinn, H., Tolson, J.P., Klein, C.J., Orlando, S.P., and Alexander, C., 1989, *Susceptibility and Status of Gulf of Mexico Estuaries to Nutrient Discharges*: Washington DC, U.S. Environmental Protection Agency, Office of Marine and Estuarine Protection, 37 p.; *Strategic Assessment of Near Coastal Waters*, NOAA/EPA Team on Near Coastal Waters, Summary Report.

Schindler, D.W., R. W. Hesslein and M. Turner. 1987. The exchange of nutrients between sediments and water of Lake 227 after fifteen years of experimental eutrophication. *Can. J. Fish. Aquat. Sci.* 44(Suppl. 1): 26-33.

Scott, K.J., 1990, Indicator strategy for near-coastal waters, section 3 in C.T. Hunsacker and D.E. Carpenter (eds.), *Environmental Monitoring and Assessment Program Ecological Indicators*, EPA/600/3-90/060, Washington, D.C.

Scott, K.J., 1990, Indicator strategies for near-coastal waters, section 3 in C.T. Hunsacker and D.E. Carpenter, editors, Environmental Monitoring and Assessment Program Ecological Indicators, EPA/600/3-90/060, Washington D.C., var. pg.

Seaton, A.M., and Day, J.W., Jr., 1979, The development of a trophic state index for the quantification of eutrophication in the Barataria Basin, in Day, J.W., Jr., Culley, D.D., Jr., Turner, R.E., and Mumphrey, A.J., Jr., eds., Proceedings of the Third Coastal Marsh and Estuary Management Symposium: Baton Rouge LA, Louisiana State University Division of Continuing Education, p. 113-125.

Smith, D.G., 1990, A Better Water Quality Indexing System for Rivers and Streams: Water Resources Bulletin, v. 24, p. 1237-1244.

Taylor, J.L. and C.H. Saloman, 1970. Mollusks and benthic environments in Hillsborough Bay, Florida. *Fish. Bull.* 68(2): 191-202.

Walters, C.J. and C.S. Holling. 1990. Large-scale management experiments and learning by doing. *Ecology* 71(6): 260-268.